

## Certificate of Product Approval

Certificate Number: 016c

Issue: 01

### Hart Door Systems

Redburn Road  
 Westerhope Industrial Estate  
 Westerhope  
 Newcastle upon Tyne  
 NE5 1PJ

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

#### Product

**Terror Screen**  
 security shutter

#### Standard

**LPS 1175: Issue 7**  
 Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon  
 Verifier

06 June 2014  
 Date of Issue

06 June 2014  
 Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

LPCB is part of BRE Global Ltd, Garston, Watford, WD25 9XX  
 T: +44 (0)1923 664100 F: +44 (0)1923 664603 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)



## Appendix to Certificate No: 016c Hart Door Systems

Issue: 01

### Security Shutter

Product Name	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Locking Devices <sup>1</sup>	Security Rating <sup>2</sup>	LPCB Ref. No.
Terror Screen	Internally face fitted roller shutter	2.2	8.0	0.9	9.0	Hart Door Systems Limited manual slip bolt system or Hart Door Systems Limited automatic slip bolt system	4	016c/01

### Compatible Substrates

Product	Compatible Substrate		
	Reinforced Brickwork/Blockwork	Reinforced Concrete	Structural Steelwork
Terror Screen	✓	✓	✓

#### Notes:

1. The locking devices/mechanisms are fitted to the internal face of the product. Certification does not cover the use of locking devices/mechanism other than those listed above. Utilisation of unlisted locking devices/mechanisms may affect the level of security offered by the roller shutter.
2. The security rating is afforded when the roller shutter is closed and all locks engaged and secured in accordance with the operating and maintenance instructions provided with the product.
3. The approval applies to the shutters when installed strictly in accordance with the document entitled 'Level 4 Security Shutter Owner's Manual' (Issue 1).

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon  
Verifier

06 June 2014  
Date of Issue

06 June 2014  
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.  
T: +44 (0)1923 664100 F: +44 (0)1923 664603 E: [Enquiries@breglobal.com](mailto:Enquiries@breglobal.com)


